


articoli di fissaggio > rivetti a strappo in alluminio > rivetti a strappo in alluminio

Rivetti in lega di alluminio AlMg 3.5

A testa larga



 Kg	 Kg	d	L	D	 mm	 mm min ÷ max
70 (686 N)	100 (980 N)	3.2	8	10	3.3	3 Æ 5
70 (686 N)	100 (980 N)	3.2	10	10	3.3	5 Æ 7
70 (686 N)	100 (980 N)	3.2	12	10	3.3	7 Æ 9
70 (686 N)	100 (980 N)	3.2	14	10	3.3	9 Æ 11
130 (1274 N)	185 (1813 N)	4	7	10	4.1	2.5 Æ 3.5
130 (1274 N)	185 (1813 N)	4	9	10	4.1	4.5 Æ 5.5
130 (1274 N)	185 (1813 N)	4	9	10	4.1	4.5 Æ 5.5

		d	L	D	 mm	 mm min ÷ max
130 (1274 N)	185 (1813 N)	4	11	10	4.1	5.5 Æ 7.5
130 (1274 N)	185 (1813 N)	4	13	10	4.1	7.5 Æ 9.5
223 (2185 N)	304 (2979 N)	4.8	8	14	5	3 Æ 4
223 (2185 N)	304 (2979 N)	4.8	9	14	5	4 Æ 5
223 (2185 N)	304 (2979 N)	4.8	10	14	5	5 Æ 6
223 (2185 N)	304 (2979 N)	4.8	12	14	5	6 Æ 8
223 (2185 N)	304 (2979 N)	4.8	14	14	5	8 Æ 10
223 (2185 N)	304 (2979 N)	4.8	16	14	5	10 Æ 12
223 (2185 N)	304 (2979 N)	4.8	18	14	5	12 Æ 14
223 (2185 N)	304 (2979 N)	4.8	20	14	5	14 Æ 16
223 (2185 N)	304 (2979 N)	4.8	22	14	5	16 Æ 18
223 (2185 N)	304 (2979 N)	4.8	24	14	5	18 Æ 20
223 (2185 N)	304 (2979 N)	4.8	26	14	5	20 Æ 22
223 (2185 N)	304 (2979 N)	4.8	28	14	5	22 Æ 24
223 (2185 N)	304 (2979 N)	4.8	30	14	5	24 Æ 26
223 (2185 N)	304 (2979 N)	4.8	35	14	5	26 Æ 31