


articoli di fissaggio > rivetti a strappo in lega inox, acciaio inox aisi 305, monel > rivetti a strappo in lega inox, acciaio inox aisi 305, monel

Rivetti tutto acciaio inox (AISI 305)



		d	L	D	 mm	 mm min ÷ max
250 (2450 N)	260 (2548 N)	3.2	6	6.5	3.3	0.5 ÷ 3
250 (2450 N)	260 (2548 N)	3.2	8	6.5	3.3	3 ÷ 5
250 (2450 N)	260 (2548 N)	3.2	10	6.5	3.3	5 ÷ 7
250 (2450 N)	260 (2548 N)	3.2	12	6.5	3.3	7 ÷ 9
320 (3136 N)	360 (3528 N)	4	6	8	4.1	0.5 ÷ 2.5
320 (3136 N)	360 (3528 N)	4	8	8	4.1	2.5 ÷ 4.5
320 (3136 N)	360 (3528 N)	4	10	8	4.1	4.5 ÷ 6.5

		d	L	D	 mm	 mm min ÷ max
320 (3136 N)	360 (3528 N)	4	12	8	4.1	6.5 Æ 8.5
320 (3136 N)	360 (3528 N)	4	14	8	4.1	8.5 Æ 10.5
320 (3136 N)	360 (3528 N)	4	16	8	4.1	10.5 Æ 12.5
505 (4312 N)	615 (5782 N)	4.8	8	9	5	1.5 Æ 4
505 (4312 N)	615 (5782 N)	4.8	10	9	5	4 Æ 6
505 (4312 N)	615 (5782 N)	4.8	12	9	5	6 Æ 8
505 (4312 N)	615 (5782 N)	4.8	14	9	5	8 Æ 10
505 (4312 N)	615 (5782 N)	4.8	16	9	5	10 Æ 12
505 (4312 N)	615 (5782 N)	4.8	18	9	5	12 Æ 14